



08/30/00

8/31/00


A

ROSSI & ASSOCIATES
P.O. Box 826
Ashburn, Virginia 20146-0826
Telephone: (703) 904-4332

Attorney Docket No.: CANO:013

Date: August 30, 2000**Certificate of Express Mailing**

I hereby certify that this paper is being deposited with the United States Postal Service for delivery via Express Mail Service in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231 on:

Date: August 30, 2000Express Mail Label No. **EK701785882US**By: 
Marc A. Rossi

ASSISTANT COMMISSIONER FOR PATENTS
Washington, D.C. 20231

Sir:

Transmitted herewith for filing is the patent application of

Inventor(s): Satoshi YASHIRO of Tokyo, Japan

For: IMAGE MANAGEMENT AND SEARCH APPARATUS, IMAGE MANAGEMENT AND SEARCH METHOD AND STORAGE MEDIUM

Enclosed are:

- ☒ FIFTEEN (15) sheets of formal drawings, Figures 1-17.
- ☐ An Assignment of the invention to CANON KABUSHIKI KAISHA.
- ☒ The application claims priority from Japanese Application 11-245722 filed August 31, 1999;
- ☐ A certified copy of the priority document is enclosed.
- ☐ A Declaration and Power of Attorney.
- ☐ A verified statement to establish small entity status under 37 CFR 1.9 and 37 CFR 1.27.
- ☐ A Preliminary Amendment is enclosed.

[] An Information Disclosure Statement.

	Number Filed	Number Extra	Rate	Basic Fee	\$ 690.00
Total					
Claims	30 - 20 = 10	x	\$ 18.00 =		\$ 180.00
Independent					
Claims	6 - 3 = 3	x	\$ 78.00 =		234.00
Multiple Dependent Claim(s) (if applicable)		+	\$ 260.00 =		<u>260.00</u>
			Total		\$ 1364.00
Reduction by 1/2 for filing Small Entity					0.00
Assignment recordation fee			\$ 40.00 =		<u>\$ 0.00</u>
			TOTAL ENCLOSED FEE		\$ 1364.00

Our Check No. _____ in the amount of the total filing fee is enclosed. However, if the check is missing or insufficient, the Commissioner is authorized to charge any additional fees which may be required, or credit any overpayment, to our Deposit Account No. 18-2056.

The Commissioner is hereby authorized to charge payment of the following fees during the pendency of this application or credit any overpayment to our Deposit Account No. 18-2056: any patent application processing fees under 37 CFR 1.17; and any filing fees under 37 CFR 1.16 for presentation of extra claims.


 Marc A. Rossi
 Registration No. 31,923

TITLE OF THE INVENTION

IMAGE MANAGEMENT AND SEARCH APPARATUS, IMAGE MANAGEMENT
AND SEARCH METHOD AND STORAGE MEDIUM

5

BACKGROUND OF THE INVENTION

Field of the Invention

10

The present invention relates generally to an image management and search apparatus, an image management and search method and a storage medium, and more particularly to an image management and search apparatus, and an image management and search method that are suitable for managing and searching images by assigning keywords representing the images, and a storage medium storing a program for executing the image control and search method.

15

Description of Related Art

20

There is a conventional image database management technique of storing image data in a database and searching the stored image data. In the conventional image database management, keywords are assigned to images, and desired images can be searched for depending on the accordance of the keywords with search terms. According to an image searching process using this technique, even if a search term inputted by an operator

25

does not completely match a keyword, the search term is made to match the keyword by replacing the search term with a term similar to the search term in notation, a synonym and a narrower term. This reduces the possibility that the image is not searched out due to the discord between the keyword and the search term.

The above conventional technique, however, has a problem as described below. In the conventional image database management, it is almost impossible for all images to be represented by keywords. Some keywords represent predominant objects in images, and some keywords represent minor objects that appear in images but do not form subjects of the images. If the images are searched for by the keywords in such image management system, all the images to which a keyword matching the inputted search term is assigned are searched out. More specifically, an image whose subject is the keyword and an image which appears as a small image at the edge of an image are searched out. Therefore, it takes a long time for a searcher to reach a desired image.

SUMMARY OF THE INVENTION

It is an object of the present invention to provide an image management and search apparatus, and an image management and search method which make it easier for a user to reach an image desired to be searched, by

rearranging images to which keywords matching an inputted search term are assigned, according to the importance of the keywords to the image desired to be searched, and a storage medium storing a program for executing the image control and search method

To attain the above object, according to a first aspect of the present invention, there is provided an image management and search apparatus, which searches image data according to keywords assigned to the image data, the image management and search apparatus comprising input means for inputting search terms, storage means storing the keywords assigned to the image data correspondingly to importance, search means for searching the storage means for keywords corresponding to images to be searched according to the search terms inputted by the input means, and rearranging means for rearranging images corresponding to the keywords searched by the search means according to the importance.

Preferably, in the image management and search apparatus according to the first aspect, when the rearranging means rearranges the images corresponding to the keywords searched by the search means according to the importance, the rearranging means regards standard importance of a default as priority in a case where the importance is not stored in the storage means, and the rearranging means regards the importance as priority in a case where the importance is stored in the storage means,

degree of the importance being determined according to whether or not the searched keywords represent subjects of images.

To attain the above object, according to the second aspect of the present invention, there is also provided an image management and search method applied to an image management and search apparatus, which searches image data according to keywords assigned to the image data, the image management and search method comprising an input step of inputting search terms, a storage controlling step of storing, in storage means, the keywords assigned to the image data correspondingly to importance, a searching step of searching the storage means for keywords corresponding to images to be searched according to the search terms inputted by the input steps, and a rearranging step of rearranging images corresponding to the keywords searched by the searching step according to the importance.

Preferably, in the image management and search method according to the first aspect, when the images corresponding to the keywords searched by the search means are rearranged according to the importance, the rearranging step comprises regarding standard importance of a default as priority in a case where the importance is not stored in the storage means, and regarding the importance as priority in a case where the importance is stored in the storage means, degree of the importance

being determined according to whether or not the searched keywords represent subjects of images.

To attain the above object, according to the second aspect of the present invention, there is also provided a storage medium that can be read by a computer and stores a program for executing an image management and search method applied to an image management and search apparatus, which searches image data according to keywords assigned to the image data, the image management and search method comprising an input step of inputting search terms, a storage controlling step of storing, in storage means, the keywords assigned to the image data correspondingly to importance, a searching step of searching the storage means for keywords corresponding to images to be searched according to the search terms inputted by the input step, and a rearranging step of rearranging images corresponding to the keywords searched by the searching step according to the importance.

To attain the above object, according to a second aspect of the present invention, there is provided an image management and search apparatus, which searches image data according to keywords assigned to the image data, the image management and search apparatus comprising input means for inputting search terms, storage means storing the keywords assigned to the image data correspondingly to importance, search means for searching the storage means for keywords corresponding to

images to be searched or keywords closely related in meaning to the images to be searched according to the search terms inputted by the input means, and rearranging means for rearranging images corresponding to the keywords searched by the search means according to the importance and closeness in meaning of the closely related keywords.

Preferably, in the image management and search apparatus according to the second aspect, when the rearranging means rearranges the images corresponding to the keywords searched by the search means according to the importance and the closeness in meaning, the rearranging means calculates priority with reference to a relevant column of accordance in a line with no importance in a preset priority formula matrix in a case where the importance is not stored in the storage means; and the rearranging means calculates priority with reference to a relevant column of accordance in a line with relevant importance in the priority formula matrix in a case where the importance is stored in the storage means, degree of the importance being determined according to whether or not the searched keywords represent subjects of images.

More preferably, in the image management and search apparatus according to the second aspect, the priority formula matrix is constructed in a manner such that the importance and the accordance are arranged

correspondingly to one other in a form of a matrix, the rearranging means regarding the importance plus the accordance as priority if the accordance is not less than a predetermined threshold level, and regarding the
5 accordance as priority if the accordance is less than the threshold level.

To attain the above object, according to the second aspect of the present invention, there is also provided an image management and search method applied to an image
10 management and search apparatus, which searches image data according to keywords assigned to the image data, the image management and search method comprising an input step of inputting search terms, a storage
controlling step of storing, in storage means, the
15 keywords assigned to the image data correspondingly to importance, a searching step of searching the storage means for keywords corresponding to the images to be searched or keywords closely related in meaning to the images to be searched according to the search terms
20 inputted by the input step, and a rearranging step of rearranging images corresponding to the keywords searched by the searching step according to the importance and closeness in meaning of the closely related keywords.

preferably, in the image management and search
25 method according to the second aspect, when the images corresponding to the keywords searched by the searching step are rearranged according to the importance and the

closeness in meaning, the rearranging step comprises calculating priority with reference to a relevant column of accordance in a line with no importance in a preset priority formula matrix in a case where the importance is not stored in the storage means, and calculating priority with reference to a relevant column of accordance in a line with relevant importance in the priority formula matrix in a case where the importance is stored in the storage means, degree of the importance being determined according to whether or not the searched keywords represent subjects of images.

More preferably, in the image management and search method according to the second aspect, the priority formula matrix is constructed in a manner such that the importance and the accordance are arranged correspondingly to one other in a form of a matrix, the rearranging step comprising regarding the importance plus the accordance as priority if the accordance is not less than a predetermined threshold level, and regarding the accordance as priority if the accordance is less than said threshold level.

To attain the above object, according to the second aspect of the present invention, there is provided a storage medium that can be read by a computer and stores a program for executing an image management and search method applied to an image management and search apparatus, which searches image data according to

keywords assigned to the image data, the image management and search method comprising an input step of inputting search terms, a storage controlling step of storing, in storage means, the keywords assigned to the image data correspondingly to importance, a searching step of searching the storage means for keywords corresponding to images to be searched or keywords closely related in meaning to the images to be searched according to the search terms inputted by the input step, and a rearranging step of rearranging images corresponding to the keywords searched by the searching step according to the importance and closeness in meaning of the closely related keywords.

In a preferred application of the present invention, the image management and search apparatus according to the first and second aspects is provided in a server of an information retrieval system on the Internet, the input means receiving search terms inputted by a client of the information retrieval system on the Internet, the search means searching the storage means for keywords corresponding to images to be searched according to the received search terms, the rearranging means rearranging images corresponding to keywords searched by the search means according to the importance, and the image management and search apparatus returning the rearranged images in a predetermined format such as HTML and XML to the client.

In a preferred application of the present invention, in the image management and search method according to the first and second aspects, the input step comprises receiving search terms inputted by a client of an information retrieval system on the Internet, the
5 searching step comprising searching the storage means for keywords corresponding to images to be searched according to the received search terms, the rearranging step comprising rearranging images corresponding to keywords
10 searched by the searching step according to the importance, and the rearranged images being returned in a predetermined format such as HTML and XML to the client.

According to the image management and search apparatus, the image management and search method, and
15 the storage medium of the first aspect of the present invention, keywords corresponding to images to be searched are searched for according to the inputted search terms, and images corresponding to the keywords searched are rearranged according to importance set for
20 the keywords. More specifically, keywords representing objects forming subjects of images are determined to have much importance, and unimportant keywords representing minor objects in images, which do not form subjects of the images, are determined to have little importance.
25 The images are stored together with the keywords for which the importance has been determined as mentioned above. The images to which the keywords matching the

inputted search term are rearranged in the order of the importance. This makes it easy for the user to quickly reach a desired image.

According to the image management and search apparatus, the image management and search method, and the storage medium of the second aspect of the present invention, keywords corresponding to images to be searched or keywords closely related in meaning to the images to be searched are searched for according to the inputted search terms, and images corresponding to the keywords searched are rearranged according to importance set for the keywords and closeness in meaning of the closely related keywords. More specifically, keywords representing objects forming subjects of images are determined to have much importance, and unimportant keywords representing minor objects in images, which do not form subjects of the images, are determined to have little importance. Accordance (closeness in meaning) is determined according to the similarity of a keyword, which matches an inputted search term, with respect to the search term. The images are stored together with the keywords for which the importance and the accordance have been determined as mentioned above. The images to which the keywords matching the inputted search term are rearranged in the order of the importance and the accordance. This makes it easy for the user to quickly reach a desired image.

BRIEF DESCRIPTION OF THE DRAWINGS

The nature of this invention, as well as other objects and advantages thereof, will be explained in the following with reference to the accompanying drawings, in which like reference characters designate the same or similar parts throughout the figures and wherein:

Fig. 1 is a schematic block diagram showing the structure of an image management and search apparatus according to first and second embodiments of the present invention;

Fig. 2 is a flow chart showing the procedure of a control program stored in a ROM of the image management and search apparatus in Fig. 1 according to the first embodiment of the present invention;

Fig. 3 is a flow chart showing the procedure of the control program stored in the ROM;

Fig. 4 is a view showing a part of a table of image management information stored in a secondary storage device in Fig. 1 according to the first embodiment;

Fig. 5 is a view showing a part of the table of image management information stored in the secondary storage device;

Fig. 6 is a view of data on results of processing according to the procedure of Fig. 2;

Fig. 7 is a view of data on results of processing

according to the procedure of Fig. 2;

Fig. 8 is a flow chart showing the procedure of a control program stored in the ROM of the image management and search apparatus in Fig. 1 according to the second embodiment of the present invention;

Fig. 9 is a flow chart showing the procedure of the control program stored in the ROM;

Fig. 10 is a view showing a part of a table of image management information stored in a secondary storage device in Fig. 1 according to the second embodiment;

Fig. 11 is a view showing a part of the table of image management information stored in the secondary storage device;

Fig. 12 is a view showing a part of the table of image management information stored in the secondary storage device;

Fig. 13 is a view of data on results of processing according to the procedure of Fig. 8;

Fig. 14 is a view of data on results of processing according to the procedure of Fig. 9;

Fig. 15 is a view of data on results of processing according to the procedure of Fig. 9;

Fig. 16 is a view showing the storage contents of a storage medium that contains programs and related data for executing an image management and search method of the present invention; and

Fig. 17 is a view describing a manner that the

programs and the related data for executing the image management and search method of the present invention are supplied from the storage medium to the apparatus.

5 DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Preferred embodiments of the present invention will be described hereinbelow with reference to the accompanying drawings.

10 Fig. 1 is a schematic block diagram showing the structure of an image management and search apparatus according to a first embodiment of the present invention. The image management and search apparatus of the first embodiment is comprised of a CPU 1, a display 2, a
15 command input device 3, a ROM 4, a RAM 5, a secondary storage device 6, and a storage medium reading device 7. The structure in Fig. 1 is only an example, and the present invention is not limited to this particular example.

20 The CPU 1 controls the whole image management and search apparatus of the present embodiment. The CPU 1 is connected to the display 2, the command input device 3, the ROM 4, the RAM 5, the secondary storage device 6, and the storage medium reading device 7 through a bus 8 so
25 that data can be transmitted between the CPU 1 and the devices connected thereto. The CPU 1 executes the processing illustrated in the flow charts of Figs. 2 and

3 (the first embodiment) and Figs. 8 and 9 (the second embodiment), which will be described later. The display 2 is comprised of a CRT, a liquid crystal or the like, and displays images, searched results, and a keyword input column. The command input device 3 is comprised of a keyboard, and a mouse or the like, and is used to input instructions about a variety of processing operations, movement of a focused point, selecting an item, inputting characters and marks, and the like. The ROM 4 is a read only memory that contains a variety of processing programs to be executed by the CPU 1. A program storage part 4a, which is a part of the ROM 4, contains a keyword search program (control program) and data according to the present invention.

The RAM 5 is a read and write enable memory that temporarily contains the results of various operations and inputted information. The secondary storage device 6 is comprised of a hard disk, an MO (Magneto Optic Disk), or the like. The secondary storage device 6 contains images, keywords and importance information assigned to the images, and image data (the first embodiment), images, keywords and importance information assigned to the images, a table used to search for search terms by development of the search terms into synonyms therefor, and image data (the second embodiment), and the like. The storage medium reading device 7 is comprised of a CD-ROM drive, an FD (floppy disk), or the like, and is used

to read programs from storage mediums (i.e., a CD-ROM 71 and a floppy disk 72) that contain a program code means. The program of the present invention is stored in storage mediums such as an FD, a CD-ROM, a ROM, and a magnetic tape. The program may be read from the storage medium reading device 7 and be stored in the RAM 5.

Figs. 4 and 5 show a part of an image management information table stored in the secondary storage device 6 of the image management and search apparatus according to the first embodiment of the present invention. Fig. 4 shows an image information table wherein each image is provided with an image ID as an image identification number in correspondence with each image file name. Fig. 5 shows a keyword table as a correspondence table of image IDs and keywords. The keyword table is provided with importance fields, and the importance field of each record contains the importance "1" through "3". The importance is predetermined so that a keyword representing an object forming a subject of an image can be of much importance, and that an unimportant keyword such as a keyword representing a minor object, which does not form a subject of an image, can be of little importance. In the case where there is already a large amount of data in the database and it is expensive to newly assign the importance, no data may be stored in the importance fields. The above-mentioned range and possible values of the importance are only one example of

the present embodiment.

Fig. 17 is a view describing how programs and related data for executing the image management and search method of the present invention are supplied from the storage medium to a device. The programs and the related data for executing the image management and search method of the present invention are supplied to a device 172 by inserting a storage medium 171 such as a floppy disk and a CD-ROM into a storage medium drive insertion opening 172 formed in the device 172. Then, the program and the related data are installed onto a hard disk from the storage medium 171, and they are loaded into the RAM from the hard disk. Alternatively, the program and the related data are directly loaded into the RAM without being installed on the hard disk. This enables the execution of the program and the related data.

To execute a program for executing the image management and search method of the present invention by the image management and search apparatus according to the first embodiment or the later-described second embodiment of the present invention, the program and the related data are supplied to the image management and search apparatus in the procedure described with reference to Fig. 17, or the program and the related data are stored in the image management and search apparatus in advance. This enables the execution of the program.

Fig. 16 is a view showing an example of the structure of storage contents of a storage medium that contains the program and the related data for executing the image management and search method of the present invention. The storage medium of the present invention contains, for example, volume information 161, directory information 162, a program execution file 163, and a program/related data file 164. The program for executing the image management and search method of the present invention is coded according to the flow charts of Figs. 2 and 3 (the first embodiment) or the flow charts of Figs. 8 and 9 (the second embodiment).

Referring next to the flow charts of Figs. 2 and 3 and Figs. 5 through 7, a detailed description will be given of a control process of the image management and search apparatus according to the present invention that is constructed in the above-mentioned manner. The CPU 1 executes this control process.

Fig. 2 is the flow chart showing the procedure of a control program stored in the program storage part 4a of the ROM 4 of the image management and search apparatus. Turning on a power supply of the system starts the execution of a step S1 to perform a necessary initialization process. The occurrence of an event is waited for in a step S2. When an event for executing a command occurs due to an operation of the command input device 3, the process goes to a step S3. If the event is

an image searching event, the process goes to a step S5. If the event is not the image searching event, the process goes to a step S4 to process the event. In the step S5, the keyword table in Fig. 5 is searched in a query language according to searching conditions to thereby extract relevant records. Fig. 6 shows an example of the extracted records. Then, the process goes to a step S6 to determine the priority.

Fig. 3 is the flow chart showing the details of a priority calculating process in the step S6 in Fig. 2. In a step S21, a loop is started for the records extracted in the step S5. In a step S22, the importance field of each record is evaluated. If there is no importance data, the process goes to a step S23, and if there is the importance data, the process goes to a step S24. In the step S23, a standard importance is regarded as the priority. The standard importance is a default value of the importance, which is used if the importance has not yet been specified. In the present embodiment, "2" is regarded as the standard importance. In the step S24, the preset importance of the keywords for the images in the table in Fig. 5 is regarded as the priority. After the priority has thus been determined, the process goes to a step S25 to determine whether the processing of the last record has been completed or not. If the processing of the last record has been completed, the priority calculating process is finished. After the

priority is calculated in the above-mentioned manner, the process goes to a step S7 to rearrange the images according to the priority. Fig. 7 shows an example of the rearranged records. Then, the process goes to a step S8 to output the images through the display 2.

As stated above, the image management and search apparatus according to the first embodiment of the present invention has the secondary storage device 6, which contains the keywords assigned to the image data correspondingly to the importance, and the CPU 1, which searches the secondary storage device 6 for keywords corresponding to images to be searched according to an inputted search term and controls the apparatus in such a manner as to rearrange the searched images according to the importance. Therefore, the operation and effect of the image management and search apparatus according to the first embodiment of the present invention are as described hereinbelow.

In this arrangement, the importance field of each record conforming to the searching conditions is evaluated, and if there is no importance data, the standard importance of a default is regarded as the priority. On the other hand, if there is importance data, the predetermined importance of a keyword corresponding to the image is regarded as the priority. After the priority of every image is found, the images are rearranged according to the priority and the

rearranged images are outputted. More specifically, keywords representing objects forming subjects of images are determined to have much importance, and unimportant keywords representing minor objects in images, which do not form subjects of the images, are determined to have little importance. The images are stored together with the keywords for which the importance has been determined as mentioned above. Therefore, the images to which the keywords matching the inputted search term are rearranged according to the importance. This makes it easy for the user to quickly reach a desired image.

There will now be described an image management and search apparatus according to a second embodiment of the present invention.

As shown in Fig. 1, the image management and search apparatus of the second embodiment is comprised of the CPU 1, the display 2, the command input device 3, the ROM 4, the RAM 5, the secondary storage device 6, and the storage medium reading device 7 as is the case with the first embodiment. Each part of the image management and search apparatus has the same structure as in the first embodiment, and therefore, it will not be described hereinbelow.

Figs. 10 through 12 are views showing a part of an image management information table stored in the secondary storage device 6 of the image management and search apparatus according to the second embodiment.

Fig. 10 shows an image information table wherein an image ID as an image identification number is assigned to each image corresponding to each image file name. Fig. 11 shows a keyword table wherein image IDs and keywords are arranged correspondingly to one another. This table has importance fields, and the importance from "1" through "3", which is set according to the same standard as that of the first embodiment, is stored in the importance field of each record. If there is already a large amount of data in the database and it is expensive to newly assign the importance, no data is stored in this importance fields. Fig. 12 shows a synonym-search term table wherein words having nearly the same meaning as an inputted search term are stored as synonyms. This synonym-search term table has accordance fields, and the accordance "0" through "1" indicating the conceptual distance between the search term and the synonyms (the accordance "1" indicates the same concept) is stored in the accordance field of each record. The range of the importance and the accordance is only an example of the present embodiment, and the present invention is not limited to this. The accordance can be determined in a variety of methods such as a manual method and an automatic generating method using electronic dictionary data or the like.

Referring next to the flow charts of Figs. 8 and 9 and Figs. 11 through Fig. 15, a detailed description will

be given of the control process of the image management and search apparatus according to the second embodiment that is constructed in the above-mentioned manner. The CPU 1 executes this control process.

Fig. 8 is the flow chart showing the procedure of a control program stored in the program storage part 4a of the ROM 4 in the image management and search apparatus. When the power supply of the system is turned on, a step S81 is executed to perform a necessary initialization. The occurrence of an event is waited for in a step S82. When an event for executing a command occurs due to an operation through the command input device, the process goes to a step S82. If the event is an image searching event, the process goes to a step S85. If the event is not the image searching event, the process goes to a step S84 to process the event. In the step S85, an inputted search term is developed into synonyms with reference to a synonym-keyword development table (Fig. 12) to find the accordance. For example, if a search term "motorbike" is developed, a synonym "motorcycle" is searched out and the accordance is 0.6. If a search term "motorcycle" is inputted, the accordance is 1 since the search term "motorcycle" accords with the synonym "motorcycle". Then, the process goes to a step S86 to search the keyword table in Fig. 11 by the words developed in the table of Fig. 12 and extract relevant records. Fig. 13 shows an example of the extracted records. Then, the

process goes to a step S87 to calculate the priority.

Fig. 9 is the flow chart showing the details of the priority calculating process in the step S87 of Fig. 8.

In a step S91, a loop is started for each record

5 extracted in the step S86. In a step S92, the importance field of each extracted record is evaluated. If there is no importance data, the process goes to a step S93, and

if there is importance data, the process goes to a step S94. In the step S93, the priority is calculated

10 according to a priority formula matrix with reference to a column of the relevant accordane in a line with no importance. In the step S94, the priority is calculated according to the priority formula matrix with reference to a column of the relevant accordane in a line with the

15 relevant importance. Fig. 14 shows an example of the priority formula matrix. If the accordane found in the step S85 is not less than the accordane of a

predetermined threshold level (0.5), the importance plus the accordane is regarded as the priority. If the

20 accordane found in the step S85 is less than the threshold level, the accordane is regarded as the priority. The formula of the priority, the formula of the priority formula matrix and the fineness of segmentation are determined according to the range

25 distribution of the importance and the accordane.

After the calculation of the priority as described above, the process goes to a step S95 to determine

whether the process with respect to the last record is completed or not. If completed, the process goes to a step S96, and if not completed, the process returns to the step S91. The keywords are grouped per image in the step S96. If a plurality of keywords correspond to one image in a step S97, the maximum value of the priority found in the step S93 or S94 is regarded as the priority of the image. Fig. 15 shows a search result with respect to a plurality of records corresponding to the same image. After the priority is found for each image as described above, the process goes to a step S88 in Fig. 8 to rearrange the images according to the priority. Then, the process goes to a step S89 to output the search result through the display 2.

As stated above, the image management and search apparatus according to the second embodiment has the secondary storage device 6 that contains the keywords assigned to the image data correspondingly to the importance, and the CPU 1 that controls the apparatus in such a manner as to search the secondary storage device 6 for keywords corresponding to an inputted search term and keywords having the same or a close meaning as or to the search term and rearrange images, to which the searched keywords are assigned, according to the importance and the closeness in meaning. Therefore, the operation and effect of the image management and search

apparatus according to the second embodiment are as described hereinbelow.

In this arrangement, the importance field of each record conforming to the searching conditions is
5 evaluated, and if there is no importance data, the priority is calculated according to the priority formula matrix with reference to a relevant column of accordance in a line with no importance. On the other hand, if
10 there is importance data, the priority is calculated according to the priority formula matrix with reference to a relevant column of accordance in a line with relevant importance. After the priority of every image is found, the images are rearranged according to the priority and the rearranged images are outputted. More
15 specifically, keywords representing objects forming subjects of images are determined to have much importance, and unimportant keywords representing minor objects in images, which do not form subjects of the images, are determined to have little importance. The
20 accordance (the closeness in meaning) is determined according to the similarity of a keyword, which matches an inputted search term, with respect to the search term. The images are stored together with the keywords for which the importance and the accordance have been
25 determined as mentioned above. Therefore, the images to which the keywords matching the inputted search term are rearranged according to the importance and the

accordance. This makes it easy for the user to quickly reach a desired image.

In the first and second embodiments of the present invention described above, the present invention is applied to the simplex image management and search apparatus; however, the present invention is not limited to this. For example, the present invention may also be applied to a system wherein an image management and search apparatus connects to external devices (e.g., a computer and a printer) through a network such as the Internet and a LAN (Local Area Network).

In the first and second embodiments of the present invention described above, the search result is outputted through the display 2 of the image management and search apparatus; however, the present invention is not limited to this. For example, the image management and search apparatus may be connected to a printer that outputs the search result.

In the first and second embodiments of the present invention described above, the keyword tables in Figs. 5 and 11 are given as examples; however, the present invention is not limited to the keywords and the importance shown in Fig. 5 and 11. The keywords and the importance may be determined arbitrarily.

The present invention may be applied to either a system comprised of plural equipment or an apparatus comprised of single equipment. For example, the image

management and search apparatus of the present invention may be provided on a server of an information retrieval system such as a WWW (World Wide Web) on the Internet. Then, a search term inputted from a WWW browser of a client is issued through the WWW, and the image management and search apparatus of the present invention provided on the WWW server receives the search term to search and rearrange images. The search result is shaped in the HTML (Hyper Text Markup Language) or the XML (Extensible Markup Language), and is then returned to the client.

Moreover, it is needless to say that the present invention can also be achieved by supplying a program to the system or the apparatus. It is needless to say that the present invention can also be achieved by providing the system or the apparatus with a storage medium containing a program code of software realizing the functions of the above described embodiments, and reading a program code from the storage medium by a computer (or a CPU and an MPU) of the system or the apparatus. In this case, the program according to the present invention, in other words, the program code read from the storage medium executes the functions of the above described embodiments. The storage medium containing the program code constitutes the present invention.

The storage medium for providing the program code is, for example, a floppy disk, a hard disk, an optical

disk, a magneto optic disk, a CD-ROM, a CD-R, a magnetic tape, a non-volatile memory card, and a ROM.

Moreover, it is needless to say that the functions of the above described embodiments can be realized not only by executing the program code read from the computer, but also by executing a part or the whole of the actual processing by means of an OS or the like operating on the computer.

Furthermore, it is also needless to say that the functions of the above described embodiments can be realized in such a manner that the program code read from the storage medium is written in a memory provided in a function expanding board inserted into the computer or a function expanding unit connected to a computer, and then a CPU or the like provided in the function expanding board or the function expanding unit executes a part or the whole of the actual processing according to instructions of the program code.

WHAT IS CLAIMED IS:

1. An image management and search apparatus, which searches image data according to keywords assigned to said image data, said image management and search apparatus comprising:

input means for inputting search terms;

storage means storing said keywords assigned to said image data correspondingly to importance;

search means for searching said storage means for keywords corresponding to images to be searched according to the search terms inputted by said input means; and

rearranging means for rearranging images corresponding to the keywords searched by said search means according to said importance.

2. An image management and search apparatus according to claim 1, wherein when said rearranging means rearranges the images corresponding to the keywords searched by said search means according to said importance, said rearranging means regards standard importance of a default as priority in a case where said importance is not stored in said storage means, and said rearranging means regards said importance as priority in a case where said importance is stored in said storage means, degree of said importance being determined according to whether or not the searched keywords represent subjects of images.

3. An image management and search apparatus, which searches image data according to keywords assigned to said image data, said image management and search apparatus comprising:

5 input means for inputting search terms;
 storage means storing said keywords assigned to said image data correspondingly to importance;
 search means for searching said storage means for keywords corresponding to images to be searched or
10 keywords closely related in meaning to said images to be searched according to the search terms inputted by said input means; and
 rearranging means for rearranging images corresponding to the keywords searched by said search
15 means according to said importance and closeness in meaning of said closely related keywords.

4. An image management and search apparatus according to claim 3, wherein when said rearranging means rearranges the images corresponding to the keywords
20 searched by said search means according to said importance and said closeness in meaning, said rearranging means calculates priority with reference to a relevant column of accordance in a line with no
 importance in a preset priority formula matrix in a case
25 where said importance is not stored in said storage means; and said rearranging means calculates priority with reference to a relevant column of accordance in a

line with relevant importance in said priority formula matrix in a case where said importance is stored in said storage means, degree of said importance being determined according to whether or not the searched keywords represent subjects of images.

5 5. An image management and search apparatus according to claim 4, wherein said priority formula matrix is constructed in a manner such that said importance and said accordance are arranged
10 correspondingly to one other in a form of a matrix, said rearranging means regarding said importance plus said accordance as priority if said accordance is not less than a predetermined threshold level, and regarding said accordance as priority if said accordance is less than
15 said threshold level.

 6. An image management and search apparatus according to any of claims 1 through 5, wherein said image management and search apparatus is provided in a server of an information retrieval system on the
20 Internet, said input means receiving search terms inputted by a client of said information retrieval system on the Internet, said search means searching said storage means for keywords corresponding to images to be searched according to the received search terms, said rearranging
25 means rearranging images corresponding to keywords searched by said search means according to said importance, and said image management and search

apparatus returning the rearranged images in a predetermined format such as HTML and XML to said client.

7. An image management and search method applied to an image management and search apparatus, which searches
5 image data according to keywords assigned to said image data, said image management and search method comprising:

an input step of inputting search terms;

a storage controlling step of storing, in storage
10 means, said keywords assigned to said image data correspondingly to importance;

a searching step of searching said storage means for keywords corresponding to images to be searched according to the search terms inputted by said input steps; and

a rearranging step of rearranging images
15 corresponding to the keywords searched by said searching step according to said importance.

8. An image management and search method according to claim 7, wherein when the images corresponding to the keywords searched by said search means are rearranged
20 according to said importance, said rearranging step comprises regarding standard importance of a default as priority in a case where said importance is not stored in said storage means, and regarding said importance as priority in a case where said importance is stored in
25 said storage means, degree of said importance being determined according to whether or not the searched keywords represent subjects of images.

9. An image management and search method applied to an image management and search apparatus, which searches image data according to keywords assigned to said image data, said image management and search method comprising:

5 an input step of inputting search terms;

 a storage controlling step of storing, in storage means, said keywords assigned to said image data correspondingly to importance;

10 a searching step of searching said storage means for keywords corresponding to said images to be searched or keywords closely related in meaning to said images to be searched according to the search terms inputted by said input step; and

15 a rearranging step of rearranging images corresponding to the keywords searched by said searching step according to said importance and closeness in meaning of said closely related keywords.

20 10. An image management and search method according to claim 9, wherein when the images corresponding to the keywords searched by said searching step are rearranged according to said importance and said closeness in meaning, said rearranging step comprises calculating priority with reference to a relevant column of
25 accordance in a line with no importance in a preset priority formula matrix in a case where said importance is not stored in said storage means, and calculating priority with reference to a relevant column of

accordance in a line with relevant importance in said
priority formula matrix in a case where said importance
is stored in said storage means, degree of said
importance being determined according to whether or not
5 the searched keywords represent subjects of images.

11. An image management and search method according
to claim 10, wherein said priority formula matrix is
constructed in a manner such that said importance and
said accordance are arranged correspondingly to one other
10 in a form of a matrix, said rearranging step comprising
regarding said importance plus said accordance as
priority if said accordance is not less than a
predetermined threshold level, and regarding said
accordance as priority if said accordance is less than
15 said threshold level.

12. An image management and search method according
to any of claims 7 through 11, wherein said input step
comprises receiving search terms inputted by a client of
an information retrieval system on the Internet, said
20 searching step comprising searching said storage means
for keywords corresponding to images to be searched
according to the received search terms, said rearranging
step comprising rearranging images corresponding to
keywords searched by said searching step according to
25 said importance, and the rearranged images being returned
in a predetermined format such as HTML and XML to said
client.

13. A storage medium that can be read by a computer and stores a program for executing an image management and search method applied to an image management and search apparatus, which searches image data according to keywords assigned to said image data, said image
5 management and search method comprising:

an input step of inputting search terms;

a storage controlling step of storing, in storage means, said keywords assigned to said image data
10 correspondingly to importance;

a searching step of searching said storage means for keywords corresponding to images to be searched according to the search terms inputted by said input step; and

a rearranging step of rearranging images
15 corresponding to the keywords searched by said searching step according to said importance.

14. A storage medium according to claim 13, wherein when the images corresponding to the keywords searched by said search means are rearranged according to said
20 importance, said rearranging step comprises regarding standard importance of a default as priority in a case where said importance is not stored in said storage means, and regarding said importance as priority in a case where said importance is stored in said storage
25 means, degree of said importance being determined according to whether or not the searched keywords represent subjects of images.

15. A storage medium that can be read by a computer and stores a program for executing an image management and search method applied to an image management and search apparatus, which searches image data according to keywords assigned to said image data, said image management and search method comprising:

an input step of inputting search terms;

a storage controlling step of storing, in storage means, said keywords assigned to said image data correspondingly to importance;

a searching step of searching said storage means for keywords corresponding to images to be searched or keywords closely related in meaning to said images to be searched according to the search terms inputted by said input step; and

a rearranging step of rearranging images corresponding to the keywords searched by said searching step according to said importance and closeness in meaning of said closely related keywords.

16. A storage medium according to claim 15, wherein when the images corresponding to the keywords searched by said searching step are rearranged according to said importance and said closeness in meaning, said rearranging step comprises calculating priority with reference to a relevant column of accordance in a line with no importance in a preset priority formula matrix in a case where said importance is not stored in said

storage means, and calculating priority with reference to a relevant column of accordance in a line with relevant importance in said priority formula matrix in a case where said importance is stored in said storage means, degree of said importance being determined according to whether or not the searched keywords represent subjects of images.

17. A storage medium according to claim 16, wherein said priority formula matrix is constructed in a manner such that said importance and said accordance are arranged correspondingly to one other in a form of a matrix, said rearranging step comprising regarding said importance plus said accordance as priority if said accordance is not less than a predetermined threshold level, and regarding said accordance as priority if said accordance is less than said threshold level.

18. A storage medium according to any of claims 13 through 17, wherein said input step comprises receiving search terms inputted by a client of an information retrieval system on the Internet, said searching step comprising searching said storage means for keywords corresponding to images to be searched according to the received search terms, said rearranging step comprising rearranging images corresponding to keywords searched by said searching step according to said importance, and the rearranged images being returned in a predetermined format such as HTML and XML to said client.

ABSTRACT OF THE DISCLOSURE

There are provided an image management and search apparatus, and an image management and search method, which make it easier for a user to reach an image desired to be searched, by rearranging images to which keywords matching an inputted search term are assigned, according to the importance of the keywords to the image desired to be searched, and a storage medium storing a program for executing the image control and search method. Keywords corresponding to images to be searched are searched for according to the inputted search terms, and images corresponding to the keywords searched are rearranged according to importance set for the keywords. The images are stored together with the keywords for which the importance has thus been determined. The images to which the keywords matching the inputted search term are rearranged in the order of the importance.

1/15


FIG. 1


FIG.2


FIG.3

FIG.4

IMAGE INFORMATION TABLE	
IMAGE ID	PATH INFORMATION
1	image1.jpg
2	image2.jpg
3	image3.jpg
4	image4.jpg
5	image5.jpg
6	image6.jpg
7	image7.jpg

5/15
FIG.5

KEYWORD TABLE


IMAGE ID	KEYWORD	IMPORTANCE
1	APPLE	3
1	FRUIT	2
4	SWEET	1
1	TOMATO	3
1	VEGETABLE	2
2	HEAP	1
2	COOKIE	3
2	CAN	2
2	CONFECTIONERY	3
3	MOTORBIKE	3
3	MOTORCYCLE	3
3	HELMET	2
3	OFF-ROAD	1
4	MOTORCYCLE	2
4	RACE	2
4	GAME	1
5	MOTORCYCLE	
5	RACE	
5	GAME	
...

FIG.6

SEARCH RESULT OF "MOTORCYCLE"		
IMAGE ID	KEYWORD	IMPORTANCE
3	MOTORCYCLE	3
4	MOTORCYCLE	2
5	MOTORCYCLE	

FIG.7

IMAGE ID	KEYWORD	IMPORTANCE	PRIORITY
3	MOTORCYCLE	3	3
4	MOTORCYCLE	2	2
5	MOTORCYCLE		2

FIG.8

8/15

FIG.9




FIG.10

IMAGE INFORMATION TABLE	
IMAGE ID	PATH INFORMATION
1	image1.jpg
2	image2.jpg
3	image3.jpg
4	image4.jpg
5	image5.jpg
6	image6.jpg
7	image7.jpg

FIG.11**KEYWORD TABLE**

IMAGE ID	KEYWORD	IMPORTANCE
1	APPLE	3
1	FRUIT	2
1	SWEET	1
1	TOMATO	3
1	VEGETABLE	2
2	HEAP	1
2	COOKIE	3
2	CAN	2
2	CONFECTIONERY	3
3	MOTORBIKE	3
3	MOTORCYCLE	3
3	HELMET	2
3	OFF-ROAD	1
4	MOTORCYCLE	2
1	RACE	2
4	GAME	1
...

FIG.12

SYNONYM	SEARCH TERM	ACCORDANCE
MOTORCYCLE	MOTORBIKE	0.6
MOTORCYCLE	MOTOR BICYCLE	0.8
MOTORCYCLE	AUTOBICYCLE	0.8
APPLE (IN HIRAGANA)	APPLE (IN KATAKANA)	0.99
APPLE (IN HIRAGANA)	APPLE (IN KANJI)	0.99
APPLE (IN HIRAGANA)	APPLE (IN KATAKANA)	0.9

12/15

FIG.13

SEARCH RESULT		
IMAGE ID	KEYWORD	IMPORTANCE
3	MOTORBIKE	3
3	MOTORCYCLE	3
4	MOTORCYCLE	2

PRIORITY FORMULA MATRIX		
ACCORDANCE IMPORTANCE	0~0.5	0.5~1
1	ACCORDANCE	IMPORTANCE + ACCORDANCE
2	ACCORDANCE	IMPORTANCE + ACCORDANCE
3	ACCORDANCE	IMPORTANCE + ACCORDANCE
NONE	ACCORDANCE	ACCORDANCE

FIG.14

FIG.15

SEARCH RESULT			
IMAGE ID	KEYWORD	IMPORTANCE	PRIORITY
3	MOTORCYCLE	2	4
4	MOTORCYCLE	2	3

FIG.16

VOLUME INFORMATION	161
DIRECTORY INFORMATION	162
⋮	
PROGRAM EXECUTION FILE	163
PROGRAM / RELATED FILE	164
⋮	

FIG.17

